

**Center for Behavioral Health Statistics and Quality, SAMHSA,  
HHS**

---

**Behavioral Health Research Reports on Substance Abuse and Mental  
Health among Women and Girls, published from 2001-2014**

**Prepared by Emily Goettsche, Tarah Griep, and Margaret Mattson with assistance  
from Research Triangle Institute.**

The publications listed here are Short Reports and Spotlights produced by the Center for Behavioral Health Statistics and Quality that focus, in particular, on women and/or girls, although many other of the DASIS, DAWN, and NSDUH reports present gender-specific data. Publications are listed by date of publication, not year of data represented, and contain a link to the report. Other related publications can be found on SAMHSA's publications listing at: <http://store.samhsa.gov/home>. SAMHSA's home page is <http://www.samhsa.gov>. The bibliography is current as of June 5, 2014.

CBHSQ was established in 2011 as the government's lead agency for behavioral health statistics, and its goals are to:

- Provides national leadership in behavioral health statistics and epidemiology
- Promotes basic and applied research in behavioral health data systems and statistical methodology
- Designs and carries out special data collection and analytic projects to examine issues for SAMHSA and other federal agencies
- Participates with other federal agencies in developing national health statistics policy
- Consults and advises SAMHSA's Administrator and the Department of Health and Human Services' Secretary on statistical matters

## 2014

Center for Behavioral Health Statistics and Quality. (2014, April 3). *The TEDS Report: Gender Differences in Primary Substance of Abuse among Substance Abuse Treatment Admissions*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k14/TEDS077/sr077-gender-differences-2014.pdf>.

## 2013

Center for Behavioral Health Statistics and Quality. (2013, May 9). *The TEDS report: Characteristics of Pregnant Teens at Treatment Admission*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2K13/TEDS121/SR121-pregnant-teen-treatment.pdf>.

Center for Behavioral Health Statistics and Quality. (2013, July 25). *The TEDS spotlight: Trends in Substances of Abuse among Pregnant Women and Women of Childbearing Age in Treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/spot110-trends-pregnant-women-2013.pdf>.

Center for Behavioral Health Statistics and Quality. (2013, September 9). *NSDUH spotlight: 18 Percent of Pregnant Women Drink Alcohol During Early Pregnancy*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/spot123-pregnancy-alcohol-2013.pdf>.

## 2012

Center for Behavioral Health Statistics and Quality. (2012, March 6). *NSDUH spotlight: Half of women on probation/parole experience mental health problems*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/Spot063WomenParole2012.pdf>.

Center for Behavioral Health Statistics and Quality. (2012, May 10). *NSDUH spotlight: Substance use during pregnancy varies by race and ethnicity*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/Spot062PregnantRaceEthnicity2012.pdf>

Center for Behavioral Health Statistics and Quality. (2012, July 19). *NSDUH spotlight: Depression triples between the ages of 12 and 15 among adolescent girls*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/Spot077GirlsDepression2012.pdf>

Center for Behavioral Health Statistics and Quality. (2012, August 9). *The TEDS report: A comparison of female substance abuse treatment admissions by criminal justice referral*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k12/TEDS104/TEDSShortReport104FemaleCJAdm2012.pdf>

Griep, T. (2012, October 31). *Admission to Substance Abuse Treatment Facilities among Pregnant Teens*. Presentation at the American Public Health Association annual meeting. Retrieved from <https://apha.confex.com/apha/140am/webprogram/Paper274683.html>.

## 2011

Center for Behavioral Health Statistics and Quality. (2011, January 25). *The TEDS spotlight: Substance abuse treatment referrals for DUI/DWI have increased among men younger than 40 and women younger than 50*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/spotlight/spot014-DUI-patients.pdf>.

Center for Behavioral Health Statistics and Quality. (2011, March 10). *The NSDUH report: Substance use among young mothers*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k11/WEBSR196YoungMothers/YoungMothersHTML.pdf>

Center for Behavioral Health Statistics and Quality. (2011, May 12). *The DAWN report: Trends in emergency department visits for drug-related suicide attempts among females: 2005 and 2009*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from [http://www.oas.samhsa.gov/2k11/DAWN011/DrugRelatedSuicide\\_HTML.pdf](http://www.oas.samhsa.gov/2k11/DAWN011/DrugRelatedSuicide_HTML.pdf)

Center for Behavioral Health Statistics and Quality. (2011, December 8). *The DAWN report: Emergency department visits involving illicit drug use among females*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from [http://www.samhsa.gov/data/2k11/WEB\\_DAWN\\_010/ED\\_Visit\\_Females.pdf](http://www.samhsa.gov/data/2k11/WEB_DAWN_010/ED_Visit_Females.pdf).

## 2010

Center for Behavioral Health Statistics and Quality. (2010, January 7). *The TEDS Report: Trends in Adult Female Substance Abuse Treatment Admissions Reporting Primary Alcohol Abuse: 1992 to 2007*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/208/208WomenAlc2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, January 21). *The TEDS Report: Gender Differences among Black Treatment Admissions Aged 18 to 25*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/224/224BlackTx2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, March 18). *The TEDS Report: Pregnant Teen Admissions to Substance Abuse Treatment: 1992 and 2007*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/228/228PregnantAdmits2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, May 5). *The TEDS Report: Differences in Substance Abuse Treatment Admissions between Mexican- American Males and Females*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/226/226MexAd2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, May 10). *The NSDUH Report: Adolescent Smoking and Maternal Risk Factors*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/166/166SmokingMoms.htm>.

Center for Behavioral Health Statistics and Quality. (2010, May 20). *The TEDS Report: Gender Differences among Asian and Pacific Islander Treatment Admissions Aged 18 to 25*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/233/233Asian2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, June 24). *The TEDS Report: Gender Differences among American Indian Treatment Admissions Aged 18 to 25*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/239/239AmInd2k10.htm>.

Center for Behavioral Health Statistics and Quality. (2010, July 22). *The NSDUH Report: Substance Use and Treatment Need among Women Employed Full Time*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/186/186WomenEmployed.htm>.

Center for Behavioral Health Statistics and Quality. (2010, August 12). *The TEDS Report: Gender Differences among Older Black Admissions to Treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k10/237/237OlderBlacks2k10.htm>.

## **2009**

Center for Behavioral Health Statistics and Quality. (2009, May 21). *The NSDUH Report: Substance Use among Women during Pregnancy and Following Childbirth*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k9/135/PregWoSubUse.htm>.

Center for Behavioral Health Statistics and Quality. (2009, July 23). *The TEDS Report: Race/Ethnicity of Female Substance Abuse Treatment Admissions Aged 25-34*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k9/195b/195bFemAdmitsAge2k9.htm>.

Center for Behavioral Health Statistics and Quality. (2009, November 5). *The TEDS Report: Female Substance Abuse Treatment Admissions Aged 12 to 17*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k9/221/221AdFemTx2k9.htm>.

Center for Behavioral Health Statistics and Quality. (2009, December 17). *The NSDUH Report: Violent Behaviors among Adolescent Females*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k9/171/171FemaleViolence.htm>.

## **2008**

Center for Behavioral Health Statistics and Quality. (2008, September 11). *The NSDUH Report: Alcohol Use Among Pregnant Women and Recent Mothers: 2002 to 2007*. Rockville, MD:

Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k8/pregnantAlc/pregnantAlc.pdf>.

## 2007

Center for Behavioral Health Statistics and Quality. (2007, February 9). *The NSDUH Report: Cigarette Use among Pregnant Women and Recent Mothers*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k7/pregCigs/pregCigs.pdf>.

Center for Behavioral Health Statistics and Quality. (2007, March 15). *The NSDUH Report: Patterns and Trends in Inhalant Use by Adolescent Males and Females: 2002-2005*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k7/inhalants/inhalants.pdf>.

Center for Behavioral Health Statistics and Quality. (2007, April 13). *The DASIS Report: Hispanic Female Admissions in Substance Abuse Treatment: 2005*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k7/LatinaTX/Latinas.pdf>.

Center for Behavioral Health Statistics and Quality. (2007, August 2). *The NSDUH Report: Gender Differences in Alcohol Use and Alcohol Dependence or Abuse: 2004 and 2005*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k7/AlcGender/AlcGender.pdf>.

Center for Behavioral Health Statistics and Quality. (2007, October 4). *The NSDUH Report: Substance Use Treatment among Women of Childrearing Age*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k7/womenTX/womenTX.pdf>.

## 2006

Center for Behavioral Health Statistics and Quality. (2006). *The DASIS Report: Facilities Offering Special Programs or Groups for Women: 2005*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k6/womenTX/womenTX.pdf>.

## 2005

Center for Behavioral Health Statistics and Quality. (2005, May 13). *The NSDUH Report: Mother's Serious Mental Illness and Substance Use among Youths*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k5/motherSMI/motherSMI.pdf>.

Center for Behavioral Health Statistics and Quality. (2005, May 20). *The DASIS Report: A Comparison of Female and Male Treatment Admissions: 2002*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k5/genderTX/genderTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2005, June 2). *The NSDUH Report: Substance Use During Pregnancy: 2002 and 2003 Update*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k5/pregnancy/pregnancy.pdf>.

Center for Behavioral Health Statistics and Quality. (2005, August 5). *The NSDUH Report: Substance Abuse and Dependence among Women*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k5/women/women.pdf>.

## 2004

Center for Behavioral Health Statistics and Quality. (2004, January 2). *The NSDUH Report: Pregnancy and Substance Use*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k3/Pregnancy/Pregnancy.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, May 28). *The NSDUH Report: Marital Status and Substance Use among Women*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/married/married.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, July 16). *The DASIS Report: Marital Status of Women Aged 25-44: 2002*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/marriedTX/marriedTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, August 20). *The NSDUH Report: Women with Co-Occurring Serious Mental Illness and a Substance Abuse Disorder*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/femdual/femdual.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, September 3). *The DASIS Report: Pregnant Women in Substance Abuse Treatment: 2002*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/pregTX/pregTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, October 8). *The DASIS Report: Characteristics of Homeless Female Admissions to Substance Abuse Treatment: 2002*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/FemHomeless/FemHomeless.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, October 29). *The NSDUH Report: Gender Differences in Substance Dependence and Abuse*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k4/genderDependence/genderDependence.pdf>.

Center for Behavioral Health Statistics and Quality. (2004, November 5). *The NSDUH Report: Female Youths and Delinquent Behaviors*. Rockville, MD: Substance Abuse and Mental Health



Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k4/girlDelinquents/girlDelinquents.pdf>.

## 2003

Center for Behavioral Health Statistics and Quality. (2003, April 25). *The NHSDA Report: Risk of Suicide among Hispanic Females Aged 12-17*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k3/LatinaSuicide/LatinaSuicide.pdf>.

Center for Behavioral Health Statistics and Quality. (2003, September 26). *The DASIS Report: Women in Treatment for Smoked Cocaine: 2000*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k3/FemCrack/FemCrack.pdf>.

## 2002

Center for Behavioral Health Statistics and Quality. (2002, May 17). *The NHSDA report: Substance Use among Pregnant Women During 1999-2000*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k2/Preg/Preg.pdf>.

Center for Behavioral Health Statistics and Quality. (2002, May 17). *The DASIS Report: Pregnant Women in Substance Abuse Treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k2/PregTX/PregTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2002, October 11) *The DASIS Report: Facilities Offering Special Programs or Services for Women*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k2/FemServices/FemServices.pdf>.

Center for Behavioral Health Statistics and Quality. (2002, 25 October). *The DASIS Report: Dually Diagnosed Female Substance Abuse Treatment Admissions: 1999*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k2/FemDualTX/FemDualTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2002, November 1) *The NHSDA Report: Illicit Drug Use among Hispanic Females*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from  
<http://www.samhsa.gov/data/2k2/LatinaDU/LatinaDU.pdf>.

## 2001

Center for Behavioral Health Statistics and Quality. (2001, July 13). *The DASIS report: Women in Treatment for Smoked Cocaine*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k1/FemCrack/FemCrack.pdf>.



Center for Behavioral Health Statistics and Quality (2001, July 13). *The NHSDA report: Pregnancy and Illicit Drug Use*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k2/PregDU/PregDU.pdf>.

Center for Behavioral Health Statistics and Quality. (2001, July 20). *The NHSDA Report: Tobacco and Alcohol Use among Pregnant Women*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k2/PregAlcTob/PregAlcTob.pdf>.

Center for Behavioral Health Statistics and Quality. (2001, August 24). *The DASIS Report: Women in Substance Abuse Treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k1/FemTX/FemTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2001, September 7). *The DASIS Report: How Men and Women Enter Substance Abuse Treatment*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k1/enterTX/enterTX.pdf>.

Center for Behavioral Health Statistics and Quality. (2001, October 26). *The NHSDA report: Availability of Illicit Drugs to Females Aged 12 to 17*. Rockville, MD: Substance Abuse and Mental Health Services Administration. Retrieved from <http://www.samhsa.gov/data/2k2/DrugAvail/DrugAvail.pdf>.